



CHEMSYSPRO

PROTECTION WITHOUT POLLUTION

CHEMICAL SYSTEM PROTECTION - For Chemical Service Vehicles



CSP-100

CHEMICAL, WEATHER & WEAR RESISTANT , TEXTURED TOPCOAT

1. **CSP-100** is a two component, 100% solids inorganic polymer coating that is impervious liquids, vapors and harsh chemicals and is also extremely weather and UV resistant.
2. **CSP-100** has zero VOC's and very low odor and is easily mixed by simply stritting the two components, Part-A and Par-B in a 3:1 ratio. It can be applied by brush, rolling and spraying.
3. **CSP-100** has outstanding adhesion to most everyday materials and surfaces with minimum preparation. It creates a permanent bond with metal, plastic, composites, wood, stone, etc.
4. A gallon of **CSP-100** will cover approximately 400 square feet with a single coat that will result in a 3.5 to 4.0 mil dry film thickness. A single coat application is all that is needed.
5. **CSP-100** requires minimum overnight drying prior to use. It will continue to chemically cure over a period of a week to ten days to achieve its optimal wear and chemical resistance.
6. **CSP-100** is a crystal clear coating with a surface texture similar to 50 grit sandpaper. This helps prevent slip and fall accidents and will also help stabilize the cargo and equipment
7. **CSP-100** is available in pint, quart and gallon packaging.
8. **CSP-100** is also available in a select group of industrial colors including white, black and grey. Other colors may have to be custom ordered.
9. **CSP-100** can be applied on rusted surfaces once the rust has been stabilized with **CSP-400**.
10. **CSP-100** must be used as supplied. Any dilution or mixing of other foreign material will void all product warranty.